



Seznam publikací, analyzovaných v rámci Poradenské činnosti za rok 2021

1. Kuijper DPJ, Oosterveld E, Wymenga E. Decline and potential recovery of the European grey partridge (*Perdix perdix*) population—a review. European Journal of Wildlife Research. 2009; 55:455-463.
2. Ronnenberg K, Strauß E, Siebert U. Crop diversity loss as primary cause of grey partridge and common pheasant decline in Lower Saxon, Germany. BMC Ecology. 2016; 16:39.
3. Reichlin T, Klansek E, Hackländer A. Diet selection by hares (*Lepus europaeus*) in arable land and its implications for habitat management. European Journal of Wildlife Research. 2006; 52:109-118.
4. Edwards PJ, Fletcher MR, Berny P. Review of the factors affecting the decline of the European brown hare, *Lepus europaeus* (Pallas, 1778) and the use of wildlife incident data to evaluate the significance of paraquat. Agriculture Ecosystems & Environment. 2000; 79 (2-3): 95-103.
5. Lundström-Gilliéron C, Schlaepfer R. Hare abundance as an indicator for urbanisation and intensification of agriculture in Western Europe. Ecological Modelling. 2003; 168: 283-301.
6. Vaughan N, Lucas EA, Harris S, White PC. Habitat association of European hares *Lepus europaeus* in England and Wales: implications for farmland management. Journal of Applied Ecology. 2003; 40: 163–175.
7. Smith RK, Jennings NV, Harris S. A quantitative analysis of the abundance and demography of European hares *Lepus europaeus* in relation to habitat type, intensity of agriculture and climate. Mammal Review. 2005; 35: 1–24.
8. Roedenbeck IA, Voser P. Effects of road on spatial distribution, abundance and mortality of brown hare (*Lepus europaeus*) In Switzerland. European Journal of Wildlife Research. 2008; 54: 425–437.
9. Misirowska M, Wasilewski M. Survival and causes of death among released brown hares (*Lepus europaeus* Pallas, 1778) in Central Poland. Acta Theriologica. 2012; 57: 305-312.
10. Jennings N, Smith RK, Hackländer K, Harris S, White PCL. Variation in demography, condition and dietary quality of hares *Lepus europaeus* from high-density and low density populations. Wildlife Biology. 2006; 12: 179-189.



-
11. Takacs V, Zduniak P, Panek M, Tryjanowski P. Does handling reduce the winter body mass of the European hare? Central European Journal of Biology. 2009; 4: 427-433.
 12. Baldi A, Farago S. Long-term changes of farmland game populations in a post-socialist country (Hungary). Agriculture, Ecosystems and Environment. 2007; 118: 307-311.
 13. Petrovan SO, Ward AI, Wheeler PM. Habitat selection guiding agri-environment schemes for a farmland specialist, the brown hare. Animal Conservation. 2013; 16: 344-352.
 14. Weterings MJA, Zaccaroni M, Koore N, Zijlstra LM, Kuipers HJ, Langevelde F, Wieren SE. Strong reactive movement response of the medium-sized European hare to elevated predation risk in short vegetation. Animal Behaviour. 2016; 115: 107-114.
 15. McCollin D, Moore L, Sparks T. The flora of a cultural landscape: environmental determinants of change revealed using archival sources. Biological Conservation. 2000; 92: 249–263.
 16. Wrzesien M, Denisow B, The effect of agricultural landscape on field margin flora in south eastern Poland. Acta Botanica Croatica. 2016; 75: 217-225.
 17. Hackländer K, Arnold W, Ruf T. Postnatal development and thermoregulation in the precocial European hare (*Lepus europaeus*). Journal of Comparative Physiology. 2002; 172: 183-190.
 18. Zellweger-Fischer J, Kéry M, Pasinelli G. Population trends of brown hares in Switzerland: The role of land-use and ecological compensation areas. Biological Conservation. 2011; 144: 1364-1373.
 19. Kunst PJG, Wal R, Wieren S. Home ranges of brown hares in a natural salt marsh: comparisons with agricultural systems. Acta Theriologica. 2001; 46: 287-294.
 20. Stott P. Use of space by sympatric European hares (*Lepus europaeus*) and European rabbits (*Oryctolagus cuniculus*) in Australia. Mammalian Biology. 2003; 68: 317-327.
 21. Smith RK, Jennings NV, Robinson A, Harris S. Conservation of European hares *Lepus europaeus* in Britain: is increasing habitat heterogeneity in farmland the answer? Journal of Applied Ecology. 2004; 41: 1092–1102.
 22. Schai-Braun SC, Weber D, Hackländer K. Spring and autumn habitat preferences of active European Hares (*Lepus europaeus*) in an agricultural area with low hare density. European Journal of Wildlife Research. 2013; 59: 387-397.
 23. Lindström ER, Andrén H, Angelstam P, Cederlund G, Hörfeldt B, Jäderberg L, Lemnell PA, Martinsson B, Sköld K, Swenson JE. Disease reveals the predator: Sarcoptic mange, red fox predation, and prey populations. Ecology. 1994; 75: 1042-1059.



-
24. Panek M, Kamieniarz R. Relationships between density of brown hare *Lepus europaeus* and landscape structure in Poland in the years 1981-1995. *Acta Theriologica*. 1999; 44: 67-75.
25. Panek M, Kamieniarz R, Bresiński W. The effect of experimental removal of red foxes *Vulpes vulpes* on spring density of brown hares *Lepus europaeus* in western Poland. *Acta Theriologica*. 2006; 51: 187-193.
26. Panek M. Factors affecting predation of red foxes *Vulpes vulpes* on brown hares *Lepus europaeus* during the breeding season in Poland. *Wildlife Biology*. 2009; 15: 345-349.
27. Knauer F, Küchenhoff H, Pilz S. A statistical analysis of the relationship between red fox *Vulpes vulpes* and its prey species (grey partridge *Perdix perdix*, brown hare *Lepus europaeus* and rabbit *Oryctolagus cuniculus*) in Western Germany from 1958 to 1998. *Wildlife Biology*. 2010; 16: 56-65.
28. Haerer G, Nicolet J, Bacciarini L, Gottstein B, Giacometti M. Causes of death, zoonoses and reproductive performance in European brown hare in Switzerland. *Schweizer Archiv für Tierheilkunde*. 2010; 143: 193-201.
29. Hell P, Plavý R, Slamečka J, Gašparík J. Losses of mammals (*Mammalia*) and birds (*Aves*) on roads in the Slovak part of the Danube Basin. *European Journal of Wildlife Research*. 2005; 51: 35-40.
30. MacDonald DW, Tattersall FH, Johnson PJ, Carbone C, Reynolds JC, Langbein J, Rushton SP, Shirley MDF. Managing British mammals: case studies from the hunting debate. *Wildlife Conservation Research Unit, University of Oxford* 2000; 181p.
31. European Commission Our life insurance, our natural capital: an EU biodiversity strategy to 2020, Brussels. 2011; 244.
32. European Union. Regulation (EU) No 1307/2013 of the European Parliament and of the Council of 17 December 2013 establishing rules for direct payments to farmers under support schemes within the framework of the common agricultural policy and repealing Council Regulation (EC) No 637/2008 and Council Regulation (EC) No 73/2009. *Official Journal of the European Union* L 2013; 347/608.
33. Angelici FM, Giga F, Boitani L, Luiselli L. Fate of captive-reared brown hares *Lepus europaeus* released at a mountain site in central Italy. *Wildlife Biology*. 2000; 6: 173-178.
34. Misiorowska M, Wasilewski M. Spatial organisation and mortality of released hares – preliminary results. *Annales Zoologici Fennici*. 2008; 45: 286-290.
35. Sokos C, Birtsas P, Papaspyropoulos GK, Giannakopoulos A, Athanasiou LV, Manolakou K, Spyrou V, Billinis C. Conservation Considerations for a Management Measure: An Integrated Approach to Hare Rearing and Releases. *Environmental Management*. 2015; 55: 19-30.



-
36. Harris S, Cresswell WJ, Forde PG, Trewhella WJ, Woollard T, Wray S. Home range analysis using radio-tracking data – a review of problem and techniques particularly as applied to the study of mammals. *Mammal Review*. 1990; 20: 97-123.
37. Kenward R. *Wildlife radio tagging: equipment, field techniques and data analysis*. Academic Press, London. 1993.
38. Heisey DK, Fuller TK. Evaluation of survival and cause-specific mortality rates using telemetry data. *Journal of Wildlife Management*. 1985; 49: 668-674.
39. Karmiris I. Releasing Captive Brown Hare (*Lepus europaeus*) to the wild – the role of predators. In: Manolas EI (ed) International conference “Sustainable Management and Development of Mountainous and Island Areas”, Island of Naxos, 29. 9. -1. 10. 2006; Democritus University of Thrace. 203-208 p.
40. Lemmell PA, Lindlof B. Experimental release of captive-reared mountain hares. *Sweden Wildlife Research – Viltrevy*. 1982; 12: 115–128.
41. Dematteis A, Tizzani P. Ripopolamenti di lepre, aspetti gestionali economici ed ecologici. Centro Ricerche Gestione della Fauna Selvatica—Fondazione Universitaria Sampeyre (Cuneo) 2005.
42. Gaustad AO. Memory matters: Influence from a cognitive map on animal space use. *Journal of Theoretical Biology*. 2011; 287: 26-36.
43. Geva-Sagiv M, Las L, Yovel Y, Ulanovsky N. Spatial cognition in bats and rats: from sensory acquisition to multiscale maps and navigation. *Nature Reviews Neuroscience*. 2015; 16: 94-108.
44. Grosczyński J, Wasilewski M. Predation of foxes on a hare population in central Poland. *Acta Theriologica*. 1992; 37: 329-338.
45. Reynolds JC, Tapper SC. Predation by foxes *Vulpes vulpes* on brown hares *Lepus europaeus* in central southern England, and its potential impact on annual population growth. *Wildlife Biology*. 1995; 1: 145–158.